



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/780,846	02/18/2004	Shaun Thomas Broering	9527L	2517

7590 02/08/2008  
The Procter & Gamble Company  
Intellectual Property Division  
Winton Hill Technical Center-Box 161  
3110 Center Hill Avenue  
Cincinnati, OH 45224

EXAMINER
----------

AFTERGUT, JEFF H

ART UNIT	PAPER NUMBER
----------	--------------

1791

MAIL DATE	DELIVERY MODE
-----------	---------------

02/08/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



## UNITED STATES DEPARTMENT OF COMMERCE

## U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10780846	2/18/2004	BROERING ET AL.	9527L

The Procter & Gamble Company  
Intellectual Property Division  
Winton Hill Technical Center-Box 161  
3110 Center Hill Avenue  
Cincinnati, OH 45224

## EXAMINER

Jeff H.. Aftergut

ART UNIT	PAPER
----------	-------

1791

20080130

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

## Commissioner for Patents

On page 7 of the Examiner's Answer, there was an inadvertent error in the listing of the rejection which appears on that page. More specifically, "Claims 2, 4, 20 and 20..." should read --Claims 2, 4, 10 and 20 are rejected under 35 USC 103(a) as being unpatentable over Bustin as applied above in view of Cronauer.--. Please take this communication as a notice that claims 2, 4, 10 and 20 were rejected over Bustin in view of Cronauer (and as a correction of the typographical error).

Any further communication can be directed to Jeff Aftergut at 571-272-1212.

/Jeff H. Aftergut/  
Primary Examiner, Art Unit 1791